O RE JC100 TELLO XE TATELO XE TATELO

Translation of Database of Registered Variety (published by the MAFF)

Database of Registered Variety
 (Flowering plants)
'Sunvivapi' (Verbena)

Registration No.: 7396

Date of Registration: 1999/09/06

Common Name: Verbena

Denomination of Variety: Sunvivapi

Term of Validity: 20 years Name of Owner: Suntory Ltd.

Address of Owner: 1-40, Dojimahama

2-chome, Kita-ku,

Osaka

Name of Breeder: Yuki Watanabe, Ryuichi Tachibana

Summary of Characteristics of the registered Variety This variety originated from crossing 'Novaris Rose Pink with eye' and a wild type of Verbena plant, of which foundation stock name was uncertain, and the flower thereof is bright reddish purple and this variety is suitable for flower potting and bedding. Its growth habit is erect, the spreading of the plant is large and the plant height is high. The stem diameter is medium, the anthocyanin pigmentation is absent, the pubescence is normal, prickles and the creeping of the substerranean stem are absent, and the internode length is medium. The phyllotaxis is opposite, the leaf shape corresponds to Type III, the lobation of the leaf is absent, the leaf margin is crenate, the leaf length medium, the leaf width is wide, the leaf color is deep green, the pubescence is sparse, the petiole length is short and the diameter is medium. The shape of the cluster corresponds to Type II, the length and width thereof are medium, the flower opens upwardly, the outward curvature of the petal is curved,

the diameter of the flower is large, the length of the corolla tube is medium and the flower has a bright reddish purple (J.H.S. 9506) color, without variegation and graduation and has a small eye on the center of the petal, the petal's do not overlap, the incision of the petal is present, the number of petals is medium, the incision of calyx is present, the calyx length is long, the anthocyanin pigmentation of the apex is present, the shape of the pistil is two-lobed, the number of stamens is medium, the color of the anther apex is yellow green, the length of peduncle is short and the diameter thereof is thin, the number of flowers are many, and the flower has no fragrance. This variety is distinguishable from 'Novaris Rose Pink with eye' in that the outward curvature of the petal is curved and the flower color is bright reddish purple.

Summary of the breeding history of the registered variety
This variety was selected from seedlings obtained from
crossing 'Novaris Rose Pink with eye' and a wild type of
Verbena plant, of which foundation stock name was uncertain,
and bred in a greenhouse of the applicant at Shimamoto-cho,
Mishima-gun, Yamanashi-ken in 1992. Afterward the
examination of the characteristics was continued while
propagating and the breeding was completed in 1994 by
confirming that the characteristics were stable.

一個文化

他又图一

V

品種登録データベース(草花類)

図 サンビバピ(バーベナ)

登録番号

第7396号

登録年月日

1999/09/06

農林水産植物の種類

バーベナ

登録品種の名称

サンビバピ

登録写真はありません

品種登録の有効期限

20年

育成者権の消滅日

1999/09/06

品種登録者の名称

サントリー株式会社

品種登録者の住所

大阪府大阪市北区堂島浜2丁目1番40

号

登録品種の育成をした者の氏名

渡辺幸 立花隆一

登録品種の植物体の特性の概要

この品種は、「ノバリス ローズピンクウイズアイ」に原種名不明の野生種を交配して育成されたものであり、花は明赤紫色の鉢物及び花壇向きの品種である。草姿は直立、株の広がりは大、高さは高である。茎の太さは中、アントシアンの発色の有無は無、毛の多少は中、とげの有無及び地下ほふく性は無、節間長は中である。葉序は対生、葉身の形は皿型、葉の切れ込みの有無は無、葉縁の形は円鋸歯状、葉長は中、葉幅は広、葉色は濃緑、葉の毛の多少は少、葉柄の有無は有、太さは中、長さは短である。花房の形は II 型、花穂長及び花穂径は中、花の向きは上向き、花形は外反咲き、花径は大、花筒長は中、花色は明赤紫(JHS カラーチャート9506)、花弁中央部の目は有、大きさは小、絞り及びぼかしの有無は無、花弁の重なりは開く、裂片の欠刻の有無は有、花弁数は中、がくの切れ込みの有無は有、長さは長、先端部のアントシアンの有無は有、雌ずいの形は2裂、雄ずいの数は中、葯先端部の色は黄緑、花柄の太さは細、長さは短、花数は多、花の香りは無である。「ノバリス ローズピンクウイズアイ」と比較して、花形が外反咲きであること、花色が明赤紫であること等で区別性が認められる。

登録品種の育成の経過の概要

この品種は、平成4年に出願者の温室(大阪府三島郡島本町)において、「ノバリス ローズピンクウィズアイ」に原種名不明の野生種を交配し、その実生の中から選抜、以後、増殖を行いながら特性の調査を継続し、6年にその特性が安定していることを確認して育成を完了したものである。

▶品種登録者の名称及び住所